

STOCK WHEEL BOLT PATTERN REFERENCE GUIDE

6 Bolt Wheels

6 on 5-1/2"

- Chevrolet - all to '48**
- Chevy/GMC - P.U., van to '70**
 - 4x4 P.U., Blazer '71-'89
 - LUV 2WD '72-'84
- Dodge - D-50, Ram 50 P.U. '79-'87**
- Ford - Courier PU '72-'84**
- Mazda - P.U. '72-'89**
- Nissan/Datsun - P.U., Pathfinder '67-'89**
- Toyota - SR5, 4WD P.U., Landcruiser, 4-Runner (some) to '89**

5 Bolt Wheels

5 on 100mm (3.937")

- Buick - Century, Skylark, Skyhawk FWD '79-'87**
 - LeSabre, Riviera, Somerset '85-'88
- Chevrolet - Beretta, Citation, Cavalier, Celebrity, Corsica '80-'89**
- Chrysler - Laser, Lebaron '85-'87**
- Dodge - Daytona, Aries, Charger, Lancer, Caravan '85-'89**
- Oldsmobile - Calais, Ciera, FWD '82-'87**
 - Firenza, Omega FWD '79-'86
- Plymouth - Sundance '87-'89**
- Pontiac - 6000, Grand Am, J2000, Sunbird, etc. FWD '82-'87**
 - Fiero '82-'88

5 on 4 (101.6 mm)

'64-'69 Mopar "A" 13"

'65-'76 Mopar "A" 14"
Dodge - Aspen, Dart, Demon, Swinger (w/o discs) '63-'72
Plymouth - Barracuda, Duster, Valiant (w/o discs) '61-'74

5 on 4-1/4 (108 mm)
Volvo 140, 164 15"
Volvo - all to '89
Ford - T-Bird '89

5 on 112mm (4.409")
Audi - 5000 Turbo, Quattro '86-'87
Mazda - RX7 GSL '86-'87
Mercedes - all '77-'89
VW - Transporter, Vanagon '71-'89

5 on 4-1/2 (114.3 mm)
AMC Gremlin, Hornet, Pacer, Javelin, Matador, AMX
AMC - most models (exc. Jeep) '40-'89
Chrysler/DeSoto - all full size RWD cars (exc. Imperial) '37-'89
Datsun/Nissan - 1600-2000 '65-'73
- 300ZX, 200SX V6 (some) to '89
Dodge van
Dodge 1/2 ton P.U.
Dodge - all full size cars & P.U.'s '37-'89
- Dart, Demon, Swinger '73-'80
Ford 1/2 ton van
Ford Granada, Monarch
Ford - All full size cars '49-'72; '79-'85
- Fairlane '62-'79
- T-Bird '55-'71; '77-'79
- Mustang 5-bolt '65-'73
- Maverick 5-bolt all
- Mustang SVO '85-'86
- Ranchero '68-'84
- Aerostar, Probe, Bronco II/Ranger to '89
Hudson - all '48-'56
Lincoln - all '70-'72; '80-'89
Mazda - RX7 Turbo, 626, 929, MX6 '86-'89
Mercury - all full size cars '52-'54; '61-'72; '79-'85
- Cougar '67-'79

Mopar '73-up "A" body
Plymouth - all full size cars '37-'89
- Barracuda '70-'74
- Duster, Valiant, Volare '73-'80
Pontiac - Tempest, LeMans '61-'63
Studebaker - all '51-'66
Toyota Crown, Hilux P.U.
Toyota - 2WD P.U. '69-'89
- Supra Turbo '86-'89
Volvo 122, 1800

5 on 115mm (4.527")

Buick - Century, Electra, LeSabre, Regal, Riviera (some) '83-'89
Cadillac - Allante, most others '84-'89
Chevrolet - Celebrity '85-'89
Oldsmobile - Regency, Ciera, Cutlass, Delta 88 '84-'89
Pontiac - 6000 '83-'89
- Bonneville, Grand Am '86-'89

5 on 120mm (4.72")

BMW 2500, 2800, 3.0, 520, 530, 630, 730
BMW - all 5 bolt to '89

5 on 4-3/4 (120.6 mm)

Buick - Regal, Century, Special (most mid-size) '64-'80's
Chevy van
Chevrolet - all (exc. as noted elsewhere) '49-'89
Corvette all
Corvair '65-'69 5-bolt
GM compact and midsize
Oldsmobile - 442, Cutlass, F-85, Toronado
(most mid-size) '60's-'80's
Pontiac - GTO, LeMans, Firebird, Grand Prix
(mid size) '64-'80's

5 on 5 (127 mm)

Austin-Healy 3000
Buick LeSabre, Centurion, Riviera, Electra
Buick - Electra, LeSabre, Riviera, (most full-size) '35-'87
Cadillac - DeVille, Fleetwood '38-'89

- SeVille '77-'79
Chevrolet 3/4 ton vans
Chevrolet - Bel Air, Biscayne, Impala, Caprice, Kingswood '71-'76
- above w/HD package wagons '77-'89
- Blazer 2WD '71-'83
Chrysler - Imperial '67-'71
Ford, LTD '73-'75
Ford - T-Bird '72-'76
- Galaxie, LTD, Custom '73-'78
Lincoln - all (exc Versailles) '60-'67; '73-'79
Mercury - all '55-'60
- Cougar, XR7 '73-'77
Oldsmobile - all full size RWD '40-'87
Packard - all '51-'55
Pontiac - all full size RWD '40-'86
Rover

5 on 130mm (5.118")
Porsche - 911, 912, 944 to '89

5 on 5-1/2 (139.7 mm)
AMC - Jeep (5 bolt) '42-'89
Chrysler - 8 cyl. & wagon '46-'55
- Imperial '54-'66
Ford 2 ton van
Ford Bronco, F100
Ford - all '28-'48
- full size P.U., van, Bronco '49-'89
International Scout, Travelall
Lincoln - all '52-'60
Mercury - all '39-'51
Suzuki - Samurai '86-'89

4 Bolt Wheels

4 on 3-3/4 (95.2 mm)

**Austin Marina
Triumph Spitfire, TR7
Lotus**

4 on 98mm (3.858")

**Alfa Romeo Alfetta
FIAT
Lancia**

4 on 100mm (3.93")

**Acura - Integra to '89
Audi - most models to '89
Audi Fox
BMW 1600, 2002
BMW - 2002, 300-series to '89
Chevy - Chevette '76-'87
- Spectrum, Nova '80-'89
Dodge - Omni, Rampage, Aries, 024 '79-'85
- Charger, Daytona (FWD) '82-'89
Honda - all (except '76-'80 Accord, Civic) to '89
Isuzu - Impulse, I-Mark to '89
Nissan - Pulsar, Sentra '87-'89
Opel Kadett
Plymouth - Horizon, TC3, Reliant, Voyager '78-'89
Renault - all to '89
Toyota - Celica, MR2, Tercel '86-'89
VW - Dasher, Fox, Jetta, Rabbit, Scirocco to '89**

4 on 4 (101.6 mm)

**Austin-Healey Sprite
Crosley - all '39-'52
MG Midget
Jensen Healey
Opel Manta, Kadette, GT
GM L-body
Buick Skyhawk '75-'81
Chevrolet Vega, Monza '71-'81
Pontiac Sunbird, Astre '76-'81
Oldsmobile Starfire '75-'81**

4 on 4-1/4 (108 mm)

Alfa Romeo (exc. Alfetta)
Ford - Fairmont '78-'86
- Mustang 4-bolt patterns '74-'93
- T-Bird '80-'88
- Pinto '71-'80
- Fiesta '78-'85
- Escort all (RWD and FWD)
- Cortina all
- Taurus, Tempo, EXP to '89
- German-built Capri I, II, III '69-'8?
Mercury - Capri '71-'88
- Cougar '79-'88
- Merkur, Topaz, Lynx '80-'89
- Zephyr '78-'86
Plymouth Cricket
Porsche - 924 '77-'84
Sunbeam - Tiger, Alpine '65-'70

4 on 110mm (4.33")

Mazda - RX2, RX3, RX4, GLC, 626, P.U. '71-'82
- RX7 to '85

4 on 4-1/2 (114.3 mm)

Acura - Legend '86-'89
Buick - Special '61-'63
Chevrolet
Corvair all 4-bolt
Chevy II all 4-bolt
Sprint '85-'87
Nova ('61-'70)
Datsun/Nissan - most models to '89
Dodge Colt '79-'88
Dodge Colt (early)
Ford
Mustang all '65-'68 4-bolt
Falcon, Maverick, Granada all 4-bolt
Mazda - 626, RX7 '83-'87 ????
MGA, MGB, MGC
Olds - F-85 '61-'63
Plymouth - Arrow, Sapporo '79-'88
SAAB all ???

SAAB - 900 to '87
Toyota - most exc. MR2 and P.U. to '89
Triumph TR 1.6

4 on 110mm (4.724")
Honda

4 on 130mm (5.11")
Porsche - 914 '71-'82
VW Beetle, 411, 412, 1500 Sedan, Transporter/Vanagon

98 mm.

1979-76 **FIAT** - 128, Sedan

1990-86 **YUGO** - GV

Return to [Top Home](#)

100 mm.

1992-74 **AUDI** - Fox

1990-82 **BMW** - 300 Series

1987-85 **CHEVROLET** - Nova

1980-76 Chevette

1985-84 **CHRYSLER** - Laser

1985-82 Le Baron "K", New Yorker

1996-95 **DODGE** - Neon

1996-94 Colt

1990-78 Omni, 024

1986-82 Charger 2.2

1985-84 Caravan

1985-82 400 "K", 600

1985-81 Aries, Aries America

1984-81 Rampage

1984 Daytona

1999-95 **FORD** - Aspire

1998-90 Escort, EXP

1998-89 **GEO** - Prizm

2000-84 **HONDA** - Civic

1989-82 Accord

1991-87 Prelude

1999-95 **KAI** - Sephia

1994-90 **MAZDA** - 323, GLC

1999-90 Miata, MX-3, MX-5, Protégé

1999-90 **MERCURY** - Tracer

1999-94 **MITSUBISHI** - Mirage

1999-86 **NISSAN** - Sentra, Sunny

1991 B310, Pulsar

1982-76 **OPEL** - All

1990-78 **PLYMOUTH** - Horizon, Horizon AM, TC3, Turismo

1996-95 Neon

1985-84 Voyager

1985-81 Reliant, Reliant America

1998-91 **SATURN** - All

1999-96 **SUZUKI** - Baleno, Esteem

1999-92 **TOYOTA** - Paseo

1996-83 Corolla, Tercel

1992-80 Celica

1997-95 **VOLKSWAGEN** - Cabrio

1997-85 Golf, Jetta

1996-83 Passat

1995-88 Corrado

1994-85 Cabriolet

1994-83 Fox

1989-75 Rabbit

1989-80 Scirocco

1986-75 Dasher

1985-80 Pickup

Return to [Top Home](#)

4 in.

1981-75 **BUICK** - Skyhawk

1981-71 **CHEVROLET** - Monza, Vega

1981-75 **OLDSMOBILE** - Starfire

1981-75 **PONTIAC** - Sunbird, Astre

Return to [Top Home](#)

4 1/4 in.

1999-95 **FORD** - Contour

1994-83 Tempo

1992-74 Mustang

1990-80 & 1999 Escort, EXP

1988-80 Thunderbird

1985-83 LTD II

1983-81 Granada, Maverick

1983-78 Fairmont

1980-74 Pinto

1996-95 **MERCURY** - Mystique

1994-83 Topaz

1988-81 Cougar, Marquis, Montego,

Lynx

1986-80 Cougar XR-7

1986-74 Capri

1985-78 Marquis (Down Size), Zephyr

1980-75 Bobcat

1990-89 **TOYOTA** - Van

Return to [Top Home](#)

108 mm.

1995-93 **AUDI** - 80/90 Series, Cabriolet

1991-81 100LS, 4000, 5000

1997-88 **SAAB** - 900 (Some 114.3), 9000

1996-92 **VOLVO** - 850 Series

Return to [Top Home](#)

110 mm.

1991-79 **MAZDA** - 626 Sedan

1980-78 RX7

1980-72 GLC, 818, RX3

Return to [Top Home](#)

4 1/2 in. or 114.3mm.

NOTE: 4 1/2 in. and 114.3mm. are the same size.

1989-85 **CHEVROLET** - Sprint

1996-92 **EAGLE** - Summit Wagon

1993-84 Summit

1994-89 **FORD** - Festiva

1996-89 **GEO** - Metro, Sprint

2000-92 **HONDA** - Prelude (15")

2000-90 Accord

1999-91 **HYUNDAI** - Elantra, Lantra

1999-90 Accent, Excel, Pony

1999-89 Sonata

1995-90 Scoupe

1989-81 **MAZDA** - 323, GLC

1987-85 626, MX-6

1998-92 **MITSUBISHI** - Expo, Expo LRV, Vista Wagon

1999-84 Galant

1993-84 Mirage

1991-80 Tredia

1999-93 **NISSAN** - Altima

1995-82 Stanza

1991-84 Maxima

1990-78 B310, Pulsar

1986-82 Sentra, Sunny

1999-84 **PLYMOUTH** - Colt Vista

1993-84 Colt

1985-79 Arrow, Champ

1999-89 **SUZUKI** - Swift

1991-83 **SAAB** - 900

1991-80 **TOYOTA** - Cressida

1985-80 Celica (14")

1982-79 Tercel(4WD)

Return to [Top Home](#)

120 mm.

1991-72 **HONDA** - Civic 1200/1500

1978-76 Accord

140 mm.

1994-90 **SUBARU** - Loyale

1991-72 DC, DL, GL, RX, Brat

1987-83 Pickup

Wheel Bolt Pattern / Lugnut Size/ Bore Size By Vehicle

Acura Integra (all models) 1986-up (4x100mm / 12x1.5 Lugnut / 56.15mm Bore)

Acura Integra Type-R 1999-up (5x114.3mm / 12x1.5 Lugnut / 70.10mm Bore)

Acura CL 2.3 1996-up (4x114.3mm / 12x1.5 Lugnut / 64.15mm Bore)

Acura TL 2.5 1996-up (4x114.3mm / 12x1.5 Lugnut / 64.15mm Bore)

Acura TL 3.2 1998-up (5x114.3mm / 12x1.5 Lugnut / 70.10mm Bore)

Chevrolet Cavalier (all models) 1989-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)

Chevrolet Spectrum 1986-1989 (4x100mm)

Chrysler Cirrus LX/LXI 1995-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)

Chrysler Neon base LX 2001-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)

Chrysler PT Cruiser 2000-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)

Chrysler Sebring LX 1995-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)

Chrysler Sebring JX/JXI Convertible 1996-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)

Chrysler Sebring LX Convertible 2002-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)

Chrysler Sebring LX Sedan/Plus 2002-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)

Daewoo Lanos 1999-up (4x100mm / 12x1.5 Lug-bolt / 56.60mm Bore)

Daewoo Leganza 1999-up (5x114.3mm / 12x1.5 Lug-bolt / 56.60mm Bore)

Daewoo Nubira 1999-up (4x100mm / 12x1.5 Lug-bolt / 56.60mm Bore)

Dodge Avenger Base / ES 1995-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)

Dodge Colt Base/GL/DL 1987-1992 (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)

Dodge Colt GT Turbo 1987-1992 (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)

Dodge Colt (all models) 1993-up (4x100mm / 12x1.5 Lugnut / 67.10mm Bore)

Dodge Daytona Base 1987-up (5x100mm / 12x1.5 Lugnut)

Dodge Daytona Pacifica 1987-up (5x100mm / 12x1.5 Lugnut)

Dodge Daytona Shelby Z 1987-up (5x100mm / 12x1.5 Lugnut)

Dodge Neon (all) 1995-1997 (4x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Dodge Neon (all models) 1998-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Dodge Neon (5x100) 1995-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Dodge Neon ACR 2001-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Dodge Neon R/T 2001-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Dodge Neon SE/ES 2001-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Dodge Stratus Base 1995-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Dodge Stratus Base with ABS 1995-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Dodge Stratus ES 1995-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Dodge Stratus SE/RT Coupe 2001-up (5x114.3mm / 12x1.5 Lugnut)
Dodge Stratus SE/ES Sedan 2001-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Dodge Stratus SE Plus Sedan 2002-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Dodge Stratus SE Coupe 2002-up (5x114.3mm / 12x1.5 Lugnut)
Dodge Stratus RT Coupe 2002-up (5x114.3mm / 12x1.5 Lugnut)
Dodge Vista 2WD Wagon 1985-up (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Dodge Vista 4WD Wagon 1987-up (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Eagle Talon DL/ES/ESI 1990-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Eagle Talon TSI AWD 1990-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Ford Contour, Countour SVT 1995-up (4x108mm / 12x1.5 Lugnut / 63.40mm Bore)
Ford Escort, EXP 1981-1983 1/2 (4x108mm / 1/2 Lugnut / 63.40mm Bore)
Ford Escort, EXP 1983 1/2-1990 (4x108mm / 12x1.5 Lugnut / 63.40mm Bore)
Ford Escort (all models) 1991-up (4x100mm / 12x1.5 Lugnut / 54.10mm Bore)
Ford Focus 2000-up (4x108mm / 12x1.5 Lugnut / 63.40mm Bore)
Ford Probe 1989-up (5x114.3mm / 12x1.5 Lugnut / 59.60mm Bore)
Ford Thunderbird (all models) 1989-1997 (5x108mm / 12x1.5 Lugnut / 63.90mm Bore)
Ford Thunderbird 2002-up (5x108mm / 12x1.5 Lugnut / 63.90mm Bore)
Geo Prizm Base / GSI 1998-up (4x100mm / 12x1.5 Lugnut / 54.10mm Bore)
Geo Storm Base / GSI 1990-up (4x100mm / 12x1.5 Lugnut / 54.10mm Bore)
Honda Accord 1982-1989 (4x100mm / 12x1.5 Lug nut / 56.10mm Bore)
Honda Accord 1990-1997 (4x114.3mm / 12x1.5 Lugnut / 64.10mm Bore)
Honda Accord 4-cyl 1998-up (4x114.3mm / 12x1.5 Lugnut / 64.10mm Bore)
Honda Accord 6-cyl 1998-up (5x114.3mm / 12x1.5 Lugnut . 64.10mm Bore)
Honda Civic 80-2002-up (4x100mm / 12x1.5 Lugnut / 56.10mm Bore)
Honda CRV 1998-up (5x114.3mm / 12x1.5 Lugnut)
Honda CRX 1982-1993 (4x100mm / 12x1.5 Lugnut / 56.10mm Bore)
Honda Prelude 1982-1991 (4x100mm / 12x1.5 Lugnut / 56.10mm Bore)
Honda Prelude 1992-1996 (4x114.3mm / 12x1.5 Lugnut / 64.10mm Bore)
Honda Prelude 1997-up (5x114.3mm / 12x1.5 Lugnut / 64.10mm Bore)
Hyundai Accent Base/GL/GS 1995-1999 (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Hyundai Accent GL/GS/L 2000-up (4x100mm / 12x1.5 Lugnut / 67.10mm Bore)
Hyundai Elantra Sedan/Wagon 1992-up (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Hyundai Excel 1986-up (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Hyundai Scoupe (all) 1991-up (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)

Hyundai Sonata (all) 1989-up (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Hyundai Tiburon Base/FX 1997-up (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Hyundai XG300 sedan 2001-up (5x114.3mm)
Hyundai XG350 sedan 2002-up (5x114.3mm)
Hyundai XG350 sedan 2002-up (5x114.3mm)
Infiniti G20 1991-up (4x114.3mm / 12x1.25 Lugnut / 66.10mm Bore)
Infiniti I30 1992-up (5x114.3mm / 12x1.25 Lugnut / 66.10mm Bore)
Infiniti J30 1990-up (5x114.3mm / 12x1.25 Lugnut / 66.10mm Bore)
Isuzu I-Mark 1985-1990 (4x100mm / 12x1.5 Lugnut / 56.10mm Bore)
Isuzu Impulse 1989-1992 (4x100mm / 12x1.5 Lugnut / 56.10mm Bore)
Isuzu Stylus 1991-1992 (4x100mm / 12x1.5 Lugnut / 56.10mm Bore)
Kia Optima Sedan 2001-up (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Kia Rio 2001-up (4x100mm / 12x1.5 Lugnut / 56.10mm Bore)
Kia Rio Cinco Wagon 2002-up (4x100mm / 12x1.5 Lugnut / 56.10mm Bore)
Kia Sephia 1993-up (4x100mm / 12x1.5 Lugnut / 56.10mm Bore)
Kia Spectra (all models) 2000-up (4x100mm / 12x1.5 Lugnut / 56.10mm Bore)
Lexus ES300 1992-up (5x114.3mm / 12x1.5 Lugnut / 60.10mm Bore)
Lexus GS300 1993-up (5x114.3mm / 12x1.5 Lugnut / 60.10mm Bore)
Lexus GS400 96-up (5x114.3mm / 12x1.5 Lugnut / 60.10mm Bore)
Lexus GS430 01-up (5x114.3mm / 12x1.5 Lugnut / 60.10mm Bore)
Lexus IS300 00-up (5x114.3mm / 12x1.5 Lugnut / 60.10mm Bore)
Lexus LS400 1990-up (5x114.3mm / 12x1.5 Lugnut / 60.10mm Bore)
Lexus SC300 1992-up (5x114.3mm / 12x1.5 Lugnut / 60.10mm Bore)
Lexus SC400 1992-up (5x114.3mm / 12x1.5 Lugnut / 60.10mm Bore)
Lexus SC430 2002-up-up (5x114.3mm / 12x1.5 Lugnut / 60.10mm Bore)
Mazda Miata, MX5 1990-up (4x100mm / 12x1.5 Lugnut / 54.10mm Bore)
Mazda Millenia, LS 1995-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mazda MX-6 1988-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mazda Protege DX/LX/EX 1990-up (4x100mm / 12x1.5 Lugnut / 54.10mm Bore)
Mazda Protégé 2.0 ES/MP3 2002-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mazda RX-7, GSL, SE 1984-1988 (4x114.3mm / 12x1.5 Lugnut / 59.60mm Bore)
Mazda RX-7, GXL, GTU, TURBO II 1986-1992 (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mazda RX-7 1990-1995 GTU/GXL (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mazda 323, LX, GT 1986-1989 (4x114.3mm / 12x1.5 Lugnut / 59.60mm Bore)
Mazda 626 1983-1987 (4x100mm / 12x1.5 Lugnut / 54.10mm Bore)
Mazda 626 1988-up (5x114.3mm / 12x1.5 Lugnut / 59.60mm Bore)
Mazda 929 1988-up (5x114.3mm / 12x1.5 Lugnut / 59.60mm Bore)
Mercury Cougar Base/XR7 1989-up (4x108mm / 12x1.5 Lugnut / 63.90mm Bore)
Mercury Cougar 4cyl/6cyl/C2/ZN 2002-up (4x108mm / 12x1.5 Lugnut / 63.90mm Bore)
Mercury Mystique GS/LS 1995-up (4x108mm / 12x1.5 Lugnut / 63.40mm Bore)
Mercury Sable GL/LS 1986-up (5x108mm / 12x1.5 Lugnut / 63.90mm Bore)
Mercury Topaz 2/4 door 1986-up (4x108mm / 12x1.5 Lugnut / 63.40mm Bore)
Mercury Tracer (all) 1988-up (4x114.3mm / 12x1.5 Lugnut / 59.60mm Bore)
Merkur XR4TI (all models) 1985-up (4x108mm / 12x1.5 Lugnut)

Mitsubishi Cordia 1985-up (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mitsubishi Diamante 1991-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mitsubishi Eclipse 1989-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mitsubishi Expo 1992-1995 (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mitsubishi Galant 1993-1998 (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mitsubishi Galant (all models) 1999-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mitsubishi Mirage 1988-1992 (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mitsubishi Mirage 1993-up (4x100mm / 12x1.5 Lugnut / 67.10mm Bore)
Mitsubishi Precis 1988-up (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mitsubishi Tredia 1984-up (4x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mitsubishi 3000 Base 1991-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Mitsubishi 3000 GT, SL, VR4 1991-up (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Nissan Altima 1993-2001 (4x114.3mm / 12x1.25 Lugnut / 66.10mm Bore)
Nissan Altima 2002-up (5x114.3mm / 12x1.25 Lugnut / 66.10mm Bore)
Nissan Maxima SE, GXE 1989-up (5x114.3mm / 12x1.25 Lugnut / 66.10mm Bore)
Nissan Maxima GLE 1995-up (5x114.3mm / 12x1.25 Lugnut / 66.10mm Bore)
Nissan Pulsar, Sentra 1986-1999 (4x100mm / 12x1.25 Lugnut / 59.10mm Bore)
Nissan Sentra 2000-up (4x114.3mm / 12x1.25 Lugnut / 66.10mm Bore)
Nissan 200 SX 1980-1988 (4x114.3mm / 12x1.25 Lugnut / 66.10mm Bore)
Nissan 200 SX V6 1985-1988 (5x114.3mm / 12x1.25 Lugnut / 66.10mm Bore)
Nissan 200 SX 1995-up (4x100mm / 12x1.25 Lugnut / 59.10mm Bore)
Nissan 240Z, 260Z, 280Z, 280ZX, 280ZX Turbo 1970-1985 (4x114.3mm/12x1.25 Lugnut/59.10mm)
Oldsmobile Achieva (all models) 1992-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Oldsmobile Alero (all models) 1999-up (5x115mm / 12x1.5 Lugnut / 70.30mm Bore)
Oldsmobile Cutlass Calais (all models) 1985-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Oldsmobile Cutlass Ciera 5x100 1984-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Oldsmobile Cutlass Ciera 5x115 1984-up (5x115mm / 12x1.5 Lugnut / 70.30mm Bore)
Oldsmobile Cutlass Supreme 1988-up (5x115mm / 12x1.5 Lugnut / 70.30mm Bore)
Oldsmobile Firenza) 1985-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Oldsmobile Intrigue (all models) 1998-up (5x115mm / 12x1.5 Lugnut / 70.30mm Bore)
Plymouth Acclaim 1989-1995 (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Plymouth Breeze 1994-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Plymouth Laser 1985-1989 (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Plymouth Laser 1990-1994 (5x114.3mm / 12x1.5 Lugnut / 67.10mm Bore)
Plymouth Neon 4-lug 1994-up (4x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Plymouth Neon Sport 5-lug 1994-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Plymouth Sundance 1987-1994 (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Pontiac Fiero 1984-1989 (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)

Pontiac Grand Am 1985-1998 (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Pontiac Grand Am 1999-up (5x115mm / 12x1.5 Lugnut / 70.30mm Bore)
Pontiac Grand-Prix 1988-1998 (5x115mm / 12x1.5 Lugnut / 70.30mm Bore)
Pontiac Grand Prix (wide track) 1997-up (5x115mm / 12x1.5 Lugnut / 70.30mm Bore)
Pontiac Sunbird 1985-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Pontiac Sunfire 1995-up (5x100mm / 12x1.5 Lugnut / 57.10mm Bore)
Pontiac 6000 1982-1990 (5x100mm / 12x1.5 Lugnut / 12x1.5 Lugnut / 57.10mm Bore)
Saturn SC, SL1, SL2, SC2 1991-up (4x100mm / 57.10mm Bore)
Subaru Forester Base/S 1998-up (5x100mm / 12x1.25 Lugnut / 56.15mm Bore)
Subaru Impreza 1993-up (5x100mm / 12x1.25 Lugnut / 56.15mm Bore)
Subaru Legacy 1990-up (5x100mm / 12x1.25 Lugnut / 56.15mm Bore)
Subaru Outback 1995-up (5x100mm / 12x1.25 Lugnut / 56.15mm Bore)
Suzuki Esteem 1995-up (4x100mm / 12x1.25 Lugnut / 54.10mm Bore)
Suzuki Swift 1989-up (4x114.3mm / 12x1.25 Lugnut / 60.10mm Bore)
Toyota Avalon 1996-up (5x114.3mm / 12x1.5 Lugnut / 60.06mm Bore)
Toyota Camry 1986-1991 (5x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Toyota Camry (all models) 1992-up (5x114.3mm / 12x1.5 Lugnut / 60.06mm Bore)
Toyota Celica 1986-1991 (4x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Toyota Celica (all models) 1992-up (5x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Toyota Corolla 1996-up (4x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Toyota Corolla CE Sedan 2003-up (5x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Toyota Corolla S 2003-up (5x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Toyota Corolla LE 2003-up (5x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Toyota Cressida 1989-1992 (5x114.3mm / 12x1.5 Lugnut / 60.06mm Bore)
Toyota Echo 2000-up (4x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Toyota Matrix Base/XR/XRSCorolla LE 2003-up (5x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Toyota MR2 1986-1990 (4x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Toyota MR2 1991-up (5x114.3mm / 12x1.5 Lugnut / 60.06mm Bore)
Toyota Paseo 1994-up (4x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Toyota Solara 1999-up (5x114.3mm / 12x1.5 Lugnut / 60.06mm Bore)
Toyota Tacoma Pick-up 2WD 1995-up (5x114.3mm / 12x1.5 Lugnut / 60.06mm Bore)
Toyota Tercel 1989-up (4x100mm / 12x1.5 Lugnut / 54.06mm Bore)
Volkswagen Beetle (all models) 1998-up (5x100mm / 14x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Corrado G60 1989-1992 (5x100mm / 12x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Corrado SLC V6 1992-1994 (5x100mm / 12x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Fox 1987-up (5x100mm / 12x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Golf GL/Cabriolet 1985-1998 (4x100mm / 12x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Golf Cabriolet 1988-up (4x100mm / 12x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Golf III Cabriolet 1999-up (4x100mm / 12x1.5 Lug-bolt / 57.10mm Bore)

Bore)
Volkswagen Golf IV (all models) 1999-up (5x100mm / 14x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Jetta GL/Carat/GLS/GLI 1981-1998 (4x100mm / 12x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Jetta IV (all models) 1999-up (5x100mm / 14x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Jetta GLX VR6 1993-1995 (5x100mm / 14x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Passat GL/GLS/Wagon 1990-1997 (4x100mm / 12x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Passat GLX VR6 1993-1995 (5x100mm / 14x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Passat (all models) 1998-up (5x112mm / 14x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Quantum (all models) 1984-up (4x100mm / 12x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Rabbit (all models) 1979-up (4x100mm / 12x1.5 Lug-bolt / 57.10mm Bore)
Volkswagen Scirocco 1995-up (4x100mm / 12x1.5 Lug-bolt / 57.10mm Bore)

Bolt Patterns

6 Bolt Wheels -----
 -

6 on 5-1/2"

Chevrolet - all to '48
 Chevy/GMC - P.U., van to '70
 - 4x4 P.U., Blazer '71-'89
 - LUV 2WD '72-'84
 Dodge - D-50, Ram 50 P.U. '79-'87
 Ford - Courier PU '72-'84
 Mazda - P.U. '72-'89
 Nissan/Datsun - P.U.. Pathfinder '67-'89
 Toyota - SR5, 4WD P.U., Landcruiser, 4-Runner (some) to '89

5 Bolt Wheels -----
 -

5 on 4

64-69 Mopar "A" 13"
 65-76 Mopar "A" 14"
 Dodge - Aspen, Dart, Demon, Swinger (w/o discs) '63-'72
 Plymouth - Barracuda, Duster, Valiant (w/o discs) '61-'74

5 on 4-1/4

Volvo 140, 164 15"
Volvo - all to '89
Ford - T-Bird '89

5 on 4-1/2 (114.3 mm)
AMC Gremlin, Hornet, Pacer, Javelin, Matador, AMX
AMC - most models (exc. Jeep) '40-'89
Chrysler/DeSoto - all full size RWD cars (exc. Imperial) '37-'89
Datsun/Nissan - 1600-2000 '65-'73
- 300ZX, 200SX V6 (some) to '89
Dodge van
Dodge 1/2 ton PU
Dodge - all full size cars & P.U.'s '37-'89
- Dart, Demon, Swinger '73-'80
Ford 1/2 ton van
Ford Granada, Monarch
Ford - All full size cars '49-'72; '79-'85
- Fairlane '62-'79
- T-Bird '55-'71; '77-'79
- Mustang (5-bolt) '65-'73
- Maverick 5-bolt all
- Mustang SVO '85-'86
- Ranchero '68-'84
- Aerostar, Probe, Bronco II/Ranger to '89
Hudson - all '48-'56
Lincoln - all '70-'72; '80-'89
Mazda - RX7 Turbo, 626, 929, MX6 '86-'89
Mercury - all full size cars '52-'54; '61-'72; '79-'85
- Cougar '67-'79
Mopar '73-up "A" body
Plymouth - all full size cars '37-'89
- Barracuda '70-'74
- Duster, Valiant, Volare '73-'80
Pontiac - Tempest, LeMans '61-'63
Studebaker - all '51-'66
Toyota Crown, Hilux PU
Toyota - 2WD P.U. '69-'89
- Supra Turbo '86-'89
Volvo 122, 1800

5 on 4-3/4
Buick - Regal, Century, Special (most mid-size) '64-'80's
Chevy van
Chevrolet - all (exc as noted elsewhere) '49-'89
Corvette all
Corvair '65-'69 5-bolt
GM compact and midsize
Oldsmobile - 442, Cutlass, F-85, Toronado
(most mid-size) '60's-'80's
Pontiac - GTO, LeMans, Firebird, Grand Prix
(mid size) '64-'80's

5 on 5
Austin-Healy 3000

Buick LeSabre, Centurion, Riviera, Electra
Buick - Electra, LeSabre, Riviera, (most full-size) '35-'87
Cadillac - DeVille, Fleetwood '38-'89
 - Seville '77-'79
Chevrolet 3/4 ton vans
Chevrolet - Bel Air, Biscayne, Impala, Caprice, Kingswood
'71-'76
 - above w/HD package wagons '77-'89
 - Blazer 2WD '71-'83
Chrysler - Imperial '67-'71
Ford, LTD '73-'75
Ford - T-Bird '72-'76
 - Galaxie, LTD, Custom '73-'78
Lincoln - all (exc Versailles) '60-'67; '73-'79
Mercury - all '55-'60
 - Cougar, XR7 '73-'77
Oldsmobile - all full size RWD '40-'87
Packard - all '51-'55
Pontiac - all full size RWD '40-'86
Rover

5 on 5-1/2

AMC - Jeep (5 bolt) '42-'89
Chrysler - 8 cyl. & wagon '46-'55
 - Imperial '54-'66
Ford 2 ton van
Ford Bronco, F100
Ford - all '28-'48
 - full size P.U., van, Bronco '49-'89
International Scout, Travelall
Lincoln - all '52-'60
Mercury - all '39-'51
Suzuki - Samurai '86-'89

5 on 100mm

Buick - Century, Skylark, Skyhawk FWD '79-'87
 - LeSabre, Riviera, Somerset '85-'88
Chevrolet - Beretta, Citation, Cavalier, Celebrity, Corsica
 '80-'89
Chrysler - Laser, Lebaron '85-'87
Dodge - Daytona, Aries, Charger, Lancer, Caravan '85-'89
Oldsmobile - Calais, Ciera, FWD '82-'87
 - Firenza, Omega FWD '79-'86
Plymouth - Sundance '87-'89
Pontiac - 6000, Grand Am, J2000, Sunbird, etc. FWD '82-'87
 - Fiero '82-'88

5 on 112mm (4.409)

Audi - 5000 Turbo, Quattro '86-'87
Mazda - RX7 GSL '86-'87
Mercedes - all '77-'89
VW - Transporter, Vanagon '71-'89

5 on 115mm

Buick - Century, Electra, LeSabre, Regal, Riviera (some) '83-'89

Cadillac - Allante, most others '84-'89

Chevrolet - Celebrity '85-'89

Oldsmobile - Regency, Ciera, Cutlass, Delta 88 '84-'89

Pontiac - 6000 '83-'89

- Bonneville, Grand Am '86-'89

5 on 120mm (4.72)

BMW 2500, 2800, 3.0, 520, 530, 630, 730

BMW - all 5 bolt to '89

5 on 130mm

Porsche - 911, 912, 944 to '89

4 Bolt Wheels -----

4 on 3-3/4

Austin Marina

Triumph Spitfire, TR7

Lotus

4 on 98mm (3.858)

Alfa Romeo Alfetta

FIAT

Lancia

4 on 100mm (3.93)

Acura - Integra to '89

Audi - most models to '89

Audi Fox

BMW 1600, 2002

BMW - 2002, 300-series to '89

Chevy - Chevette '76-'87

- Spectrum, Nova '80-'89

Dodge - Omni, Rampage, Aries, 024 '79-'85

- Charger, Daytona (FWD) '82-'89

Honda - all (except '76-'80 Accord, Civic) to '89

Isuzu - Impulse, I-Mark to '89

Nissan - Pulsar, Sentra '87-'89

Opel Kadett

Plymouth - Horizon, TC3, Reliant, Voyager '78-'89

Renault - all to '89

Toyota - Celica, MR2, Tercel '86-'89

VW - Dasher, Fox, Jetta, Rabbit, Scirocco to '89

4 on 4

Austin-Healey Sprite

Crosley - all '39-'52

MG Midget

Jensen Healey
Opel Manta, Kadette
GM L-body
 Buick Skyhawk '75-'81
 Chevrolet Vega, Monza '71-'81
 Pontiac Sunbird, Astre '76-'81
 Oldsmobile Starfire '75-'81

4 on 4-1/4 (4 on 108 mm)
Alfa Romeo (exc. Alfetta)
Ford - Fairmont '78-'86
 - Mustang 4-bolt patterns '74-'93
 - T-Bird '80-'88
 - Pinto '71-'80
 - Fiesta '78-'85
 - Escort all (RWD and FWD)
 - Cortina all
 - Taurus, Tempo, EXP to '89
 - German-built Capri I, II, III '69-'8?
Mercury - Capri '71-'88
 - Cougar '79-'88
 - Merkur, Topaz, Lynx '80-'89
 - Zephyr '78-'86
Plymouth Cricket
Porsche - 924 '77-'84
Sunbeam - Tiger, Alpine '65-'70

4 on 110mm (4.33)
Mazda - RX2, RX3, RX4, GLC, 626, P.U. '71-'82
 - RX7 to '85

4 on 4-1/2
Acura - Legend '86-'89
Buick - Special '61-'63
Chevrolet
 Corvair all 4-bolt
 Chevy II all 4-bolt
 Sprint '85-'87
 Nova ('61-'70)
Datsun/Nissan - most models to '89
Dodge Colt '79-'88
Dodge Colt (early)
Ford
 Mustang all '65-'68 4-bolt
 Falcon, Maverick, Granada all 4-bolt
Mazda - 626, RX7 '83-'87 ????
MGA, MGB, MGC
Olds - F-85 '61-'63
Plymouth - Arrow, Sapporo '79-'88
SAAB all ???
SAAB - 900 to '87
Toyota - most exc. MR2 and P.U. to '89
Triumph TR 1..6

4 on 110mm (4.724)

Honda

4 on 130mm (5.11)

Porsche - 914 '71-'82

VW Beetle, 411, 412, 1500 Sedan, Transporter/Vanagon

Jari Porhio eppu@cc.tut.fi :

No offence :)